

## Portable Scale Calibration Readings

Calibrate 1X

Calibrate 2X

Repair & Fix or Discard

							42 5.0%		52 4.0%
							41.9 4.8%		51.9 3.8%
							41.8 4.5%		51.8 3.6%
							41.7 4.3%		51.7 3.4%
							41.6 4.0%		51.6 3.2%
							41.5 3.8%		51.5 3.0%
							41.4 3.5%		51.4 2.8%
							41.3 3.3%		51.3 2.6%
							41.2 3.0%		51.2 2.4%
							41.1 2.8%		51.1 2.2%
							41 2.5%		51 2.0%
							40.9 2.3%		50.9 1.8%
							40.8 2.0%		50.8 1.6%
							40.7 1.8%		50.7 1.4%
							40.6 1.5%		50.6 1.2%
							40.5 1.3%		50.5 1.0%
							40.4 1.0%		50.4 0.8%
							40.3 0.8%		50.3 0.6%
							40.2 0.5%		50.2 0.4%
							40.1 0.2%		50.1 0.2%
	10 0.0%	20 0.0%	30 0.0%	40 0.0%	50 0.0%				
	9.9 -1.0%	19.9 -0.5%	29.9 -0.3%	39.9 -0.3%	49.9 -0.2%				
	9.8 -2.0%	19.8 -1.0%	29.8 -0.7%	39.8 -0.5%	49.8 -0.4%				
	9.7 -3.0%	19.7 -1.5%	29.7 -1.0%	39.7 -0.8%	49.7 -0.6%				
	9.6 -4.0%	19.6 -2.0%	29.6 -1.3%	39.6 -1.0%	49.6 -0.8%				
	9.5 -5.0%	19.5 -2.5%	29.5 -1.7%	39.5 -1.3%	49.5 -1.0%				
	9.4 -6.0%	19.4 -3.0%	29.4 -2.0%	39.4 -1.5%	49.4 -1.2%				
	9.3 -7.0%	19.3 -3.5%	29.3 -2.3%	39.3 -1.8%	49.3 -1.4%				
	9.2 -8.0%	19.2 -4.0%	29.2 -2.7%	39.2 -2.0%	49.2 -1.6%				
	9.1 -9.0%	19.1 -4.5%	29.1 -3.0%	39.1 -2.3%	49.1 -1.8%				
	9 -10.0%	19 -5.0%	29 -3.3%	39 -2.5%	49 -2.0%				
			28.9 -3.7%	38.9 -2.8%	48.9 -2.2%				
			28.8 -4.0%	38.8 -3.0%	48.8 -2.4%				
			28.7 -4.3%	38.7 -3.3%	48.7 -2.6%				
			28.6 -4.7%	38.6 -3.5%	48.6 -2.8%				
			28.5 -5.0%	38.5 -3.8%	48.5 -3.0%				
			28.4 -5.3%	38.4 -4.0%	48.4 -3.2%				
				38.3 -4.3%	48.3 -3.4%				
				38.2 -4.5%	48.2 -3.6%				
				38.1 -4.8%	48.1 -3.8%				